

OCT 11 2005

**BACHMAN & LaPOINTE, P.C.**REGISTERED PATENT ATTORNEYS  
SPECIALIZING IN INTELLECTUAL PROPERTYSUITE 1201  
900 CHAPEL STREET  
NEW HAVEN, CONNECTICUT 06510-2802GREGORY P. LAPOINTE  
BARRY L. KELMACHTER (ALSO VA BAR)  
GEORGE A. COURY (ALSO NY BAR)  
WILLIAM B. SLATE (ALSO CA AND DC BARS)  
ROSS J. CHRISTIE (ALSO NY BAR)TELEPHONE (203) 777-6628  
FAX (203) 865-0297  
(203) 789-0582TELECOPIER COVER LETTERTo: USPTOFrom: William B. SlateFAX #: 571-273-8300Date: October 11, 2005Your Ref.: SN 10/733,533Our Ref.: EH-10965 (03-435)Number of Pages including this sheet: 9Confirmation Copy to Follow: Yes XX No

\* Comments:

I hereby certify that this correspondence is being faxed this 11<sup>th</sup> day of October, 2005 to the USPTO, at Fax No. 1-571-273-8300.



William B. Slate

Please acknowledge receipt of this letter by email, telephone, telefax or telex and advise us if any pages are not readily legible or have not been received.

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately and destroy this transmittal.

BACHMAN & LAPOINTE, P.C.  
TELEPHONE: (203) 777-6628  
TELEFAX : (203) 865-0297

OCT 11 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

App. No.:	10/733,533	Att'y Docket:	EH-10965 (03-435)
Filing Date:	December 11, 2003	Conf No.:	7730
Inventor(s):	Blake C. Chenevert et al.	Group Art Unit:	3749
Assignee:	United Technologies Corporation	Examiner:	Josiah C. Cocks
Title:	SOOT BLOWER ACCESS APPARATUS		

Correspondence Address:  
Customer Number 34704

AMENDMENT UNDER 37 C.F.R. 1.116

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**Introductory Comments**

In response to the Office Action mailed July 11, 2005, for which a response is due on October 11, 2005, please amend the application as follows: